
K'IMA:W MEDICAL CENTER COVID-19 UPDATE 2/15/22




COVID Cases To Date

- 1205 (1074)TOTAL CASES
- 80 (**134**) ACTIVE CASES
- 1122 (937)RECOVERED
- TOTAL HOSPITALIZATIONS: 32(31)
- CURRENT HOSPITALIZATIONS: 1 (0)
- DEATHS: 3
- *red: comparison from 2/1/21 report

COVID-19 Positive Cases September to January 17, 2022



COVID Positive Cases Sept-Dec



Humboldt County Daily Case Statistics

162,389	18,782	529	135
COVID Tests Run	Positive Cases	Hospitalizations	Deaths

Hoopa Valley Tribe/KIMAW Medical Center Service Area Statistics

1205	1122	80	32	1	3
Total Positive Cases	Recovered Cases	Active Cases	Hospitaliza tions	Current Hospitalizatio ns	Deaths

Covid-19 vaccination summary 2/1/22

Janssen	Janssen Booster	Moderna Primary		Moderna Booster		Pfizer Dose 2	Pfizer Booster	Pfizer Peds 1	Pfizer Peds 2
62	6	1529	1459	486	219	210	22	64	31

Vaccine Clinics

KMC

Thursday and Fridays: By Appointment

Humboldt County Public Health Every Tuesday 10-3 77 Walnut Way Willow Creek

State of California Masking Order

- * Indoor masking mandate will be lifted on 2/15/22.
- * Indoor masking mandate will remain in effect for unvaccinated individuals.
- Masking mandate will remain in place for:

Schools

Hospitals/Healthcare Settings

Congregate Settings

Correctional Facilities

Homeless Shelters

It will be at businesses discretion to require masks or not.

Humboldt County

Humboldt County will align with the State of California's lift of masking orders on 2/15/22.

Hoopa Valley Tribe &

K'ima:w Medical Center

Masking mandate will remain in effect for all Hoopa Valley Tribal Businesses and workplaces until further notice. The Hoopa Valley Tribe and K'ima:w Medical Center evaluate local data, take into consideration our high risk populations, and the fact that we have multigenerational households. Local date does not support lifting the masking orders at this time.

Hoopa Valley Tribe/K'ima:w Medical Center

individuals to continue to wear a well fitted mask, preferably a surgical mask, K95, or and N95 masks when visiting outside communities, despite the masking order being lifted in Humboldt County and in the State of California.

Upgrade Your Mask

Consider Fit, Filtration and Comfort

GOOD



Surgical Mask BETTER



KF94/KN95 Surgical+Cloth BEST



N95

FAIR



Cloth Mask

One that fits well and has at least 3 layers. A cloth mask is better than no mask.



COVID Therapeutics

MONOCLONAL ANTIBODY TREATMENT

Sotrovimab

- Treatment for high-risk non-hospitalized patients with mild to moderate COVID-19 symptoms.
- Single dose infusion
- ☐ Must be administered within 10 days of onset of symptoms.
- Treatment prescribed by KMC provider.
- Infusion takes place a St.Joseph's ProvidenceHospital Infusion Center

MONOCLONAL ANTIBODY TREATMENT

Bebtelovimab

 Treatment for high-risk non-hospitalized patients with mild to moderate COVID-19 symptoms.

Antiviral

Remesdivir
Infusion done of a several day period.
Treatment prescribed by KMC provider.
Offered at St. Joseph's Providence Hospital.

Therapeutics Continued

ANTIVIRAL ORAL/PILL

Paxlovid

- Oral pill antiviral treatment of COVID-19.
- Works by preventing replication of the virus.
- For mild to moderate symptoms.
- Must be taken within 5 days of onset of symptoms.
- Prescribed by KMC providers, obtained at St. Joseph Providence Infusion Center.

ANTIVIRAL ORAL/PILL

- Molnupiravir
- Oral pill antiviral treatment of COVID-10
- Works by preventing replication of the virus.
- For mild to moderate symptoms
- Must be taken within 5 days of onset of symptoms.
- Prescribed by KMC providers
- Dispensed by KMC Pharmacy

Therapeutics Continued Pre-Exposure Prophylaxis (prevention treatment) Evusheld

- Treatment for individuals with compromised immune systems or have life threatening allergies to the COVID-19 vaccine.
- Preventative Treatment
- 2 dose injection give simultaneously
- Prescribed by KMC providers
- KMC Pharmacy has a limited supply.

HOOPA VALLEY TRIBE/K'IMA:W MEDICAL CENTER

Essential Personnel Isolation/Quarantine Guidelines

Person Who	Tests Positive for COVID-19
(Isolation)	

Action

•Stay home for at least 5 days.

are not present or are resolving and a KIMAW collected rapid antigen test on day 5 or later tests negative. •If unable to test or choosing not to test, and

Isolation can end after day 5 if symptoms

symptoms are not present or are resolving, isolation can end after day 10.

•If fever is present, isolation should be continued until fever resolves.

•If symptoms, other than fever are not resolving continue to isolate until symptoms are resolving or until after day

10. Wear a well fitted mask around others for 10 days.

Everyone, regardless of vaccination status,

previous infection or lack of symptoms.

Unvaccinated**; OR Vaccinated and booster eligible**but have not yet received their booster dose. **Includes persons previous infected with COVID-19, including within the last 90 days.

Person Who are Exposed to Someone

with COVID-19 (Quarantine)

•Stay home for at least 5 days, after your last contact with a person who has COVID-19. •Test on day 5. •Quarantine can end after day 5 if symptoms are not present and a KIMAW collected rapid antigen test on day 5 or later tests negative. •If unable to test or choosing not to test, and symptoms are not present, quarantine can end after day 10. •Wear a well-fitting mask around others for a total of 10 days; especially in indoor settings (see Section below on masking for additional information). •Strongly encouraged to get vaccinated or boosted. •If testing positive, follow isolation

Action

Persons Who are Exposed to Someone with COVID-19 (No Quarantine)	Action
•Boosted; OR	•Test on day 5 at KIMAW Medical Center.
	 •Wear a well-fitting mask around others for 10 days, especially in indoor settings (see Section below on masking for additional information) •If testing positive, follow isolation recommendations above. •If symptoms develop, test and stay home.

Definitions

Fully Vaccinated

Fully Vaccinated is currently defined as 2 weeks post having your two dose series of Moderna or Pfizer COVID-19 Vaccine, or single dose series of Johnson & Johnson.

Booster Eligibility

You are eligible for the Moderna and Pfizer COVID-19 booster vaccine 5 months after the 2nd dose in the primary two dose series, and 8weeks after the single dose series of Johnson & Johnson. The CDC and CDPH state that if you are eligible for the booster and have not received it yet, you must quarantine if you are exposed to a COVID-19 positive individual.

Calculating Quarantine

The date of your exposure is considered day 0. Day 1 is the first full day after your last contact with a person who has had COVID-19. Stay home and away from other people for at least 5 days.

Living in a Household with a COVID-19 Positive Individual

If you are an employee of the Hoopa Valley Tribe or KIMAW Medical Center and you live in a household with a COVID-19 positive individual, are fully vaccinated including booster (if eligible), follow the above guideline for **Persons Who are Exposed to Someone with COVID-19 (No Quarantine).** If you are unvaccinated or eligible for your booster and have not received it yet, follow the above guideline for **Persons Who are Exposed to Someone with COVID-19 (Quarantine)**

Quarantine/Isolations Orders Community/Non-Essential Workers

- Quarantine/Isolations Orders will remain the same until further notice.
- Positive individuals-10 day quarantine period from the onset of symptoms or positive test.
- Exposed Asymptomatic Vaccinated Individuals- test at day 5, do not need to quarantine if test is negative.
- Exposed Symptomatic Vaccinated
 Individuals-quarantine, test immediately, and a day 5.
- Exposed Unvaccinated Individuals- quarantine for 10 days, test at day 5.

Work Clearance Post COVID Essential Workforce.

Essential employees may test at day 5 post COVID positive test to return to work. The below criteria must be met before a work clearance may be given.

- Negative COVID test administered at KMC after day
 5 of initial positive test.
- Reduced symptoms and fever free for 24 hrs
- If a COVID test is administered after day 5 and it remains positive, the individual must isolate the full 10 day isolation period.

Work Clearance Note

- Work Clearance Notes will be given to individuals upon request.
- Individuals must call Angie Brown @ 625-4261 ext. 0268 to request a Work Clearance Note. At least one day advance notice is required, in order to process notes in a timely manner.
- Work Clearance Notes will be placed in a sealed envelope and left with KMC front greeters.

Community Support KMC

- Continue to offer and advertise KMC vaccine clinics, as well as Humboldt County sponsored clinics.
- Continue to provide patient and community education on COVID-19 and vaccines.
- Continue to communicate and provide information to local school communities and staff.
- Continue to offer daily COVID-19 testing and healthcare, including providers prescribing Monoclonal Antibody Treatment for eligible COVID-19 positive patients.
- Continue to conduct follow up phone calls with COVID-19 positive patients, follow up care provided if needed.
- Continue to communicate with Humboldt County Public Health daily regarding contact tracing and new positive cases.

Comorbidity


- Individuals with underlying conditions are more likely to experience greater illness and hospitalization than individuals without comorbidities.
- Age and having multiply health conditions can also contribute to increased severity of illness and hospitalizations.

Comorbidity Factors

- Age
- Number of underlying health conditions
- Long-standing systemic health and social equities
- Individuals with disabilities
- Medical Conditions: Cancer, Chronic Kidney Disease, Chronic Liver Disease, Chronic Lung Disease, Dementia or other Neurological Conditions, Diabetes, Down Syndrome, Heart Condition, HIV Infection, Immunocompromised, Mental Health Conditions, Overweight, Pregnancy, Substance Use Disorder etc.

COVID Vaccine & Boosters Available at KMC

- Vaccine & BoosterClinics
- Thursdays & Fridays
 - By Appointment
 - Call:
 - **■** 530-625-4261
 - Ext. 0221 or 0259



COVID Vaccine Boosters

Pfizer

Eligible 5 months after 2nd dose in the 2 dose series

Moderna

Eligible 5 months after 2nd dose in the 2 dose series

Johnson & Johnson's Janssen

Eligible 2 months after the single dose series

Youth Vaccines

FDA Approved

<u>Vaccine</u>

Pfizer

16 years of age and up (fully approved)

FDA Approved for Emergency Usage Authorization
Pfizer

12-15 years of age (Emergency Usage Authorization)

5-11 year olds FDA Emergency Usage Authorized

KMC Information Disseminations

- Weekly Articles in the Two Rivers Tribune
- Fliers
- Video using local adults and youth promoting vaccines
- KMC & OES Websites and Facebook pages
- OES daily reports

- Social Media
- Facebook pages
- KMC
- OES
- KTJUSD Advocacy Page
- Local Bulletins
- Tribal Office mail boxes
- Emails to KTJUSD

COVID Testing Options

Effective January 19th order free home Covid19 tests:

http://www.covidtesting.gov



TODAY.COM

How to order free at-home COVID-19 tests from the governm...

KMC

Monday-Friday 8:40-4:30 By appointment 625-4261 Ext 0218

OptumServe

Thursdays 10:00-3:00
Hoopa Fire Department

Humboldt County

Tuesdays 10:00-3:00 77 Walnut Way Willow Creek

Home Test Available

Limited supply of Quidel COVID Home Tests Available https://quickvueathome.com/

